DRAWING No. 1

SIDE FRAME L/H SIDE



DETAIL "A"



R/H SIDE



DRAWING No. 2

BACK



TABLE CENTRE SUPPORT AT POSITION "B" ON SIDE FRAME



SPACED FROM A 5.5 " A/GIRDER BY 3.5" STRIP



FRONT



FRONT MAIN FRAME AT POINT "A"



DRAWING 3

INNER FRAME L//H SIDE



INNER FRAME R/H SIDE



DRAWING 4

TOP





ADJUST GAP FOR SLOTTING HEAD

FRONT



LONG SIDEFRAME MOTOR

R/H SIDE

REAR VIEW



DRAWING 5

SLOTTING HEAD



FRONT



TABLE SIDES & DRIVE



VIEW ON 'A'



ADJUST GAP FOR CROSS TABLE

CROSS SLIDE

8b

9d

4

9d

VIEW "A"

9d

4

8b

1b

103k

73

103k

73

9d

5

9d

9d

79a

103

62b

9d

173a

"A"

73

5

26c

103k

8b

1b

73

SEE TEXT

79a

173a

26c

9

62b

63

62b

79a

SEE DETAIL "B"

9d & 2

25

9d

103f

12c

2

9

115

24

DETAIL "B"

9d

59

9d

9

235g

12

103f

DRAWING No.6

ADJUST FOR TABLE TO SLIDE FREE

SEE DETAIL DRG. No. 5







FRONT



UNDERSIDE OF TABLE



SIDE



DRAWING No.7

DRAWING No.8

R/H SIDE



L/H SIDE

INNER FRAME L//H SIDE

ADJUST POSITION OF HEAD